SAFETY PROCEDURE

SAFETY MANAGEMENT PROCEDURE FOR BARRICADING AND SIGNAGE

Insert Your Company Logo

TABLE OF CONTENTS

1.	AP	PROVAL	3
2.	PU	RPOSE	4
3.	SC	OPE	4
4.	TER	RMS AND DEFINITIONS	4
5.	RO	DLES AND RESPONSIBILITIES	. 4
6.		OCEDURES	
	6.1.	Risk Assessment and Planning	5
	6.2.	Procurement and Re-supply	
	6.3.	Selection, Installation and Use	
	6.3	3.1. Barricade Selection	C ^V 6
	6.4.	Soft Barricading Tape Colours	7
	6.5.	Signage Selection and Hazard Information	7
	6.6.	Barricade Installation	7
	6.7.	Exclusive Control	8
	6.8.	Authorised Entry Areas	88
	6.9.	Information Tags	8
	6.10.	Danger Tape	9
	6.11.	Spotters	9
	6.12.	Information Tags Danger Tape Spotters Monitoring Revie Remova Barri lin, Sigr	9
	6.13.	Remova Barri Vin Sigr 2	9
	6.14.	Training ss , Q	9
z		ATED PROCEDY FO DOCUMENTS	10
8.	RF\		10
9.			10
). RF		10

1. APPROVAL

Document Control						
Document:		HSEQ-MP-117 – Barricading and Signage				
Version:		1.0				
Released:		Insert Date				
Review Date:		+ 1 year				
Prepared By:		Insert Person Pos		Position:	Insert P	<mark>Jn</mark>
Reviewed	l By:	Insert Person		Position:	Insert P	
Approved	d By:	Insert Person		Position:	nsert Po	sitic
This procedure is reviewed to ensure its continuing relevance system and it describes. A record of contextual additions or omissions						
Amendm	ent Record					
Version	Date		Context		Section	mary of mendments
1.0	Insert Date	For selection, maintenance signage.	e of barricac		SE E	Original
			OF STATE OF	AIL		
			8 40)			
		S	D.			
	4					
The latest procedure is on Insert Your Company intranet site.						
	It is the respons of the individual to ensure that any hardcopy is the current revision.					
A printed version of this procedure is uncontrolled, except when provided with a document title and revision number in the field below and marked as 'Controlled Copy'.						
Documer		Barricading ar			Rev:	1.0
Uncontrol	lled Copy:	✓	Controlled Co	py: ✓	Date:	Insert Date

© HSEQ-MP-117 Version: 1.0 Insert Date Page 3 of 11

2. PURPOSE

The purpose of this procedure is to provide guidelines for the selection and placement of barricading, notices and signage, so that they can be instantly recognized and understood and to ensure that mandatory signage is carefully selected, and symbolic signs conform to the necessary requirements.

3. SCOPE

This procedure applies to all areas of the workplace regarding placement of barricading, notices and signs at a Insert Your Company of the ce

4. TERMS AND DEFINITIONS

Term		
Barricade	Is a physical barrie tea revenue and being exposed to hazards.	
Exclusion Zone	Is a barrica to persons other than those particular and familiar with the brds local exclusion zone area.	
Hard Barricading –	Is a constructed for other materials (me time of a construction) and the construction of the construction	
Soft Barricade	Is a lande of dof plastic tape, chain, etc, supper from fixed to structures.	
Solid Barricade crossed (i.e. webbing or meshed plastic exc From ary fence panels. Water barriers.		
	Ides an employee, a contractor, personnel or acontractor, an employee of a contractor or subcontractor, an employee of a labour hire company who has been assigned to work, an apprentice, trainee or a student gaining work experience.	

5. ROLES AND RESPONSIBILITIES

Managers are responsible for:

© HSEQ-MP-117 Version: 1.0 Insert Date Page 4 of 11