SAFETY PROCEDURE

HEALTH AND SAFETY, MANAGEMENT PROCEDURE FOR WORKING AT HEIGHT

Insert Your Company Logo

TABLE OF CONTENTS

1.	AP	PROVAL	. 3				
2.	PUI	RPOSE	4				
3.	SC	OPE	4				
4.	TER	MS AND DEFINITIONS	4				
5.	RO	LES AND RESPONSIBILITIES	. 5				
6.	PRO	OCEDURES	6				
6	5.1.	General Height Safety					
ć	5.2.	Working at Height Hierarchy of Controls	5				
ć	5.3.	Fall Prevention	?				
ć	5.4.	Edge Protection	.8				
ć	5.5.	Travel Restriction	. 9				
ć	5.6.	Fall Arrest	. 9				
ć	5.7.	Equipment and Systems	. 9				
ć	5.8.	Maintenance and Inspection	. 9				
ć	5.9.	Unloading and Loading of True	. 9				
ć	5.10.	General Requirement for Workin. Ladd Single or Extension L	10				
ć	5.11.	Single or Extension L	10				
ć	5.12.	Single or Extension L Ladder Inspection and Stepladder Stepladder Falling O	11				
ć	5.13.	Stepladde	11				
ć	5.14.	Falling Olympia and Target and Ta	12				
ć	5.15.	Transferring mericand Table 1	12				
	.16.	ice Pits and ave ave	12				
6	5.17.	Sca	12				
6	5.18.	Sc stion agging	13				
V	5.19	MCDI STATE OF THE	13				
		ing	14				
		escue	14				
7.	N.	DURES, FORMS AND DOCUMENTS	14				
8.	RE\	VI. CERIA	14				
9.	REC	CORD MANAGEMENT	15				
10	. REF	FERENCES	15				
	WORK FROM HEIGHTS RESCUE FLOWCHART						

1. APPROVAL

Uncontrolled Copy:

Documen	t Control					
Document:		HS-MP-14 – Working at Height				
Version:		1.0				
Released	:	Insert Date				
Review Do	ate:	+ 1 year				
Prepared	By:	Insert Person	Position:	Insert P		
Reviewed	l By:	Insert Person	Position:	Insert Po		
Approved By:		Insert Person	Position:	"sert Positio		
		wed to ensure its continuof contextual additions		o stems	a pre 155 at	
Amendm	ent Record					
Version	Date	Contex		Section	mary of mendments	
1.0	Insert Date	To manage risks to he safety associated with		C.E.	ginal	
		ORDER				
	sponsy c version of t	nis procedure is on Insert of the individual to ensure this procedure is uncontroller in the field below an	Your Company e that any hardo olled, except w	intranet site.	with a document	

© HS-MP-14 Version: 1.0 Insert Date Page 3 of 16

Controlled Copy: ✓ Date:

<mark>Insert Date</mark>

2. PURPOSE

The purpose of this procedure is to provide guidance so that workers are not placed at risk when working at heights where there is a risk of a fall by a worker from one level to another that is reasonably likely to cause injury. This includes working with plant, ladders, scaffolding and other activities that include a risk of falling.

3. SCOPE

This procedure applies to all work conducted at height, to enable who per a hing the work to carry out the work at height safely and not endanger the personnel on the ground who may be exposed to falling the cts.

4. TERMS AND DEFINITIONS

Term	Definition
Acceptable Level	For a risk to a person, a perry than 'acceptable level' the common be arried and the level of risk for the activation. Is within acceptable safe a dving regard for each affety direction. Is own as or a ticable. To do whether of risk is within acceptable safety limits as low ably practicable, regard must be likeling and the severity of the injury, illness or damage; and
Apr	or not the risk is avoidable by reasonable or the performance of a function or exercise of a power, ludes having the qualifications, experience and ompetence to perform the function or exercise the power.
Monoved Leader	Means a ladder which meets the required Standards.
Con	Is a combination of attributes, including skills, training and experience, relevant to a work task or function that enables a person to undertake that work task safely or discharge that function in accordance with company expectations.
Permitted Work	In relation to work involving a ladder, means work in which: • The weight, size or shape of any equipment or material the person using the ladder is carrying is not likely to restrict the person's movement while the person is climbing or

© HS-MP-14 Version: 1.0 Insert Date Page 4 of 16