

# HEALTH AND SAFETY MANAGEMENT PROCEDURE FOR NOISE MANAGEMENT

## TABLE OF CONTENTS

1.	APPROVAL	. 3
<b>2</b> .	PURPOSE	. 4
3.	SCOPE	. 4
<b>4</b> .	TERMS AND DEFINITIONS	. 4
5.	ROLES AND RESPONSIBILITIES	. 5
6.	PROCEDURES	.6
6	0.1. Overview	
6	p.2. The Decibel Scale	5
6	o.3. Noise Hazard Identification	
6	9.4. Risk Assessment of Noise	.8
6	5.5. Noise Risk Control	.8
6	p.6. Evaluation of Risk	.9
6	p.7. Consultation	.9
6	b.8. Audiometric Testing	.9
6	5.9. Surrounding Areas	.9
6	5.10. Training	.9
7.	RELATED PROCEDURES, No. OC.	10
8.	<ul> <li>Audiometric Testing</li> <li>Surrounding Areas</li> <li>Training</li> <li>RELATED PROCEDURES, I</li> <li>REVIEW CRITERIA</li> <li>RECORD MAP</li> <li>FEM</li> <li>REFERENCES</li> </ul>	10
9.		11
10.	REFERENCES	11
7		

### 1. APPROVAL

Document Control							
Document:		HS-MP-16 – Noise Management					
Version:		1.0					
Released:		Insert Date					
Review Date:		+ 1 year					
Prepared By:		Insert Person	P	osition:	Insert Pos <sup>ir</sup>		
Reviewed By:		Insert Person	P	osition:	Insert F		
Approved By:		Insert Person	P	osition:	Insert Positi		
			ts continuing rele		vstems cnc.	10° ST	
it describes. A record of contextual additions or omissions is given v. Amendment Record							
						ary of	
Version	Date		Context		ection	ndments	
1.0	Insert Date	To manage ri				1	
		safety associ	ated with no				
				A.			
			65				
The lates			on Insert Your C	ompany i	ntranet site		
			s on <mark>Insert Your Company</mark> intranet site. I to ensure that any hardcopy is the current revision.				
A printed versio, of this procedure is uncontrolled, except when provided with a document							
title and revision number in the field below and marked as 'Controlled Copy'.							
Documen		Noise Manage			<b>Rev:</b> 1.0		
Uncontrol	led Copy:	<ul> <li>✓</li> </ul>	Controlled Cop	oy: 🖌	Date: Insert D	Date	

#### 2. PURPOSE

The purpose of this procedure is to provide practical guidance on how noise affects hearing, how to identify and assess noise exposure and how to control health and safety risks arising from hazardous noise, to ensure that all workplace noise is assessed, monitored and controlled and to ensure compliance with statutory requirements.

#### 3. SCOPE

This procedure applies to all areas where workers are required to we will also be relevant to contractors while completing works on beha Company.

### 4.

TERMS AND DEFINITIONS						
Term	Definition					
Administrative Noise Control Measures	Work systems designed to the star balance noise exposure, e.g. job ro designed to the systems that are exposure to the systems to the systems to the systems that are exposure to the systems to the s					
Audiometric Testing	Means the test of the asure of the hearing threshold levels of the ear of the using pure tone air control to show rest					
The A-weighted Scale	Is a c be dree be that measures the human ear's se to ne					
The C-weighted Scale	A loci the measure peak scale is used to measure peak					
dR(A)	St s for son the A-weighted scale.					
dB(C)	and cells on the C-weighted scale.					
Decibel	o O oment of sound pressure or noise level.					
Engine Sont	's any engineering procedure that reduces the sound I ber at the source of the noise or in its transmission.					
	ound emitted that is transmitted through the atmosphere and is audible or has an impact at a neighboring receiver location. Environmental noise is invasive by nature and is generally considered a form of pollution or nuisance and has the potential to be an operational constraint.					
Excessive woise	Is that which exceeds the maximum daily exposure limit. It is the noise that either may cause hearing loss because of its intensity, duration and/or frequency distribution, or that which disturbs cognitive or physiological functions.					
Exposure standard for noise	Means in relation to a person:					

51.11