VERIFICATION OF COMPETENCY FOR A ROLLER

Examples and answers are in red text below. Just delete and uncheck the answer boxes before using.

Company:	Date:	
Assessor's Name:	Nominee's Nam	e:
Item of Plant:	Model:	

The purpose of this verification of competency is to allow the nominee to demonstrate their understanding and competence to safely operate the roller identified above.

This verification of competency consists of two parts. One theoretical assessment and one practical assessment.



Section Control retical Assessment

Section the consist of a questionnaire.

The not and d nee needs have arer mon inform with of th go After the To si e th🛚 1009 tical en

ORDER NOW AND GET FULL ACCESS

© HSEQ-MF-177 Version: 1.0 Insert Date Page 1 of 5

	I would check with office administration.		
Que	stion 3.		
When operators fail to properly maintain their roller what may be the result?			
	It is 100% up to the owner to maintain the roller .		
	If the oil and water is maintained that is enough to ensure safe operation.		
	Excessive wear and damage will occur to the roller .		
	It's to the echanic.		
Que	stic 4.		
Why	ORDER NOW AND GET FULL ACCESS		
-			
	with, what after? would a rough or done or how on the speciality quant of the robe?		
Soundler &			
What's the danger to all othing over the edge of accommutation W			
	Made company from		

© HSEQ-MF-177 Version: 1.0 Insert Date Page 2 of 5

	A rollover.	
	Low compaction.	
	No additional risk would be present.	
Question 9.		
Wha	t should you do in the event of an incident while operating the roller?	
	Report it in your logbook.	
	Immediately report it to your supervisor or the person in control of the worksite.	
	Tel' our won, ates and listen to what they have to say.	
	If ere is no damage, work	
Que		
**		
	ODDED NOW AND SET FULL ASSESS	
	ORDER NOW AND GET FULL ACCESS	
	The state of the s	
-	a cape happened empt to prince of spillbooks comes in specials of one grown is striked emptors,	
Name of Seal Con-grown Councils And near the corrupts or a seal of the Sellins speeding for other		
	an experience of the contract	
	Mar 18	
-	makely or searching devices and one consider for other specialized	
What salety denice should be enabled on a role to prevent the species have being disorgent.		

© HSEQ-MF-177 Version: 1.0 Insert Date Page 3 of 5

If there is a likelihood of a roller overturning, what must be fitted to the roller?

Example answer – Roll over protection (ROPs).

Question 17.

If cracks appear on the surface after rolling with a vibrating roller, what action could you take to remove the cracks?

Example answer – Apply water and flat roll the surface.

Question 18.

When using roller what action should you take for the first run along a kerb with uncompacted material



© HSEQ-MF-177 Version: 1.0 Insert Date Page 4 of 5



© HSEQ-MF-177 Version: 1.0 Insert Date Page 5 of 5